

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 18.03.2021

Version number 5

Revision: 18.03.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**· Trade name: **Technovit 4006 SE liquid****1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.· **Application of the substance / the mixture** Resin for metallographic testing**1.3 Details of the supplier of the safety data sheet**· **Manufacturer/Supplier:**

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)6181 9689-2570 (Wehrheim)

· **Informing department:** email: technik.wehrheim@kulzer-dental.com**1.4 Emergency telephone number:** Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture**· **Classification according to Regulation (EC) No 1272/2008**

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**

GHS02 GHS07

· **Signal word** Danger· **Hazard-determining components of labelling:**

methyl methacrylate

1,4-butandiol dimethacrylate

· **Hazard statements**

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

· **Precautionary statements**

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P241

Use explosion-proof [electrical/ventilating/lighting] equipment.

P261

Avoid breathing dust/fume/gas/mist/vapours/spray.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P405

Store locked up.

(Contd. on page 2)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 18.03.2021

Version number 5

Revision: 18.03.2021

Trade name: Technovit 4006 SE liquid

(Contd. of page 1)

- **2.3 Other hazards**
 - **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· **3.2 Chemical characterisation: Mixtures**

· **Dangerous components:**

CAS: 80-62-6 EINECS: 201-297-1 Reg.nr.: 01-2119452498-28-XXXX	methyl methacrylate ----- Flam. Liq. 2, H225 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335 Acute Tox. 5, H333	75-90%
CAS: 2082-81-7 EINECS: 218-218-1	1,4-butandiol dimethacrylate ----- Skin Sens. 1B, H317	10-25%
CAS: 131-57-7 EINECS: 205-031-5	Oxybenzone ----- Aquatic Acute 1, H400; Aquatic Chronic 2, H411	<0.25%
CAS: 63393-96-4 EINECS: 264-120-7	Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides ----- Acute Tox. 3, H301 Repr. 2, H361 Skin Corr. 1C, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1)	≥0.025-<0.25%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information**

Take affected persons out of danger area and instruct to lie down.
Personal protection for the First Aider.

· **After inhalation**

In case of unconsciousness bring patient into stable side position for transport.
Supply fresh air; consult doctor in case of symptoms.

· **After skin contact**

Instantly wash with water and soap and rinse thoroughly.
If skin irritation or rash occurs: Get medical advice/attention.

· **After eye contact**

Rinse opened eye for several minutes under running water. Then consult doctor.
Remove contact lenses, if present and easy to do. Continue rinsing.

· **After swallowing**

Rinse out mouth and then drink plenty of water.
In case of persistent symptoms consult doctor.

· **4.2 Most important symptoms and effects, both acute and delayed**

Allergic reactions

Coughing

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

GB

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 18.03.2021

Version number 5

Revision: 18.03.2021

Trade name: Technovit 4006 SE liquid

(Contd. of page 2)

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
 - **Suitable extinguishing agents** CO₂, sand, extinguishing powder. Do not use water.
 - **For safety reasons unsuitable extinguishing agents** Water.
- **5.2 Special hazards arising from the substance or mixture**

Can form explosive gas-air mixtures.
Formation of toxic gases is possible during heating or in case of fire.
Can be released in case of fire

Carbon dioxide (CO₂)
Carbon monoxide (CO)
Nitrogen oxides (NO_x)
Hydrogen chloride (HCl)
- **5.3 Advice for firefighters**
 - **Protective equipment:**

Wear self-contained breathing apparatus.
(EN 133)
 - **Additional information -**

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.
Avoid contact with eyes and skin.
Do not breathe vapor / mist / gas.
Ensure adequate ventilation
Keep away from ignition sources
- **6.2 Environmental precautions:**

Prevent material from reaching sewage system, holes and cellars.
Damp down gases/fumes/haze with water spray jet.
Keep dirty washing water for appropriate disposal.
- **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).
Do not flush with water or aqueous cleansing agents
Send for recovery or disposal in suitable containers.
- **6.4 Reference to other sections**

See Section 13 for information on disposal.
See Section 8 for information on personal protection equipment.

-

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**

Keep containers tightly sealed.
Avoid contact with eyes and skin.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).
- **Handling**

do not mix with
amine
Strong oxidizers
Water.

(Contd. on page 4)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 18.03.2021

Version number 5

Revision: 18.03.2021

Trade name: Technovit 4006 SE liquid

(Contd. of page 3)

· **Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Do not spray on flames or red-hot objects.
Fumes can combine with air to form an explosive mixture.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and containers:**

Store in cool, dry place in tightly closed containers.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** None.

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Additional information about design of technical systems:** No further data; see item 7.

· **Components with critical values that require monitoring at the workplace:**

80-62-6 methyl methacrylate

WEL (Great Britain)	Short-term value: 416 mg/m ³ , 100 ppm Long-term value: 208 mg/m ³ , 50 ppm
IOELV (European Union)	Short-term value: 100 ppm Long-term value: 50 ppm

· **DNELs**

80-62-6 methyl methacrylate

Oral	ge.pop., l.te, syst.	8.2 mg/Kg (nd)
Dermal	worker industr., l.te., syst.	13.67 mg/Kg/d (nd)
	ge.pop., l.te, syst.	8.2 mg/Kg/d (nd)
Inhalative	worker industr., acute, local	416 mg/m ³ (nd)
	worker industr., l.te., syst.	348.4 mg/m ³ (nd)
	worker industr., l.te., local	208 mg/m ³ (nd)
	ge.pop., acu., local	208 mg/m ³ (nd)
	ge.pop., l.te, syst.	74.3 mg/m ³ (nd)

2082-81-7 1,4-butandioldimethacrylate

Oral	ge.pop., l.te, syst.	2.5 mg/Kg (nd)
Dermal	worker industr., l.te., syst.	4.2 mg/Kg/d (nd)
	ge.pop., l.te, syst.	2.5 mg/Kg/d (nd)
Inhalative	worker profess., l.te., syst.	14.5 mg/m ³ (nd)
	ge.pop., l.te, syst.	4.3 mg/m ³ (nd)

131-57-7 Oxybenzone

Oral	ge.pop., l.te, syst.	2 mg/Kg (nd)
Dermal	worker industr., l.te., syst.	39 mg/Kg/d (nd)
	ge.pop., l.te, syst.	20 mg/Kg/d (nd)
Inhalative	worker industr., l.te., syst.	27.7 mg/m ³ (nd)
	ge.pop., l.te, syst.	6.8 mg/m ³ (nd)

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 18.03.2021

Version number 5

Revision: 18.03.2021

Trade name: Technovit 4006 SE liquid

(Contd. of page 4)

63393-96-4 Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides

Inhalative	worker profess., l.te., syst.	0.42 mg/m ³ (nd)
------------	-------------------------------	-----------------------------

· PNECs

80-62-6 methyl methacrylate

freshwater	0.94 mg/l (aqua)
	0.94 mg/l (nd)
marine water	0.094 mg/l (nd)
STP	10 mg/l (nd)
sedim., dw, fre.wat.	10.2 mg/Kg (nd)
sedim., dw, mar.wat.	0.102 mg/Kg (nd)
soil,dw	1.48 mg/Kg (nd)

2082-81-7 1,4-butandioldimethacrylate

freshwater	0.043 mg/l (nd)
marine water	0.004 mg/l (nd)
STP	2 mg/l (nd)
sedim., dw, fre.wat.	3.12 mg/Kg (nd)
sedim., dw, mar.wat.	0.312 mg/Kg (nd)
soil,dw	0.573 mg/Kg (nd)

131-57-7 Oxybenzone

freshwater	0.00067 mg/l (nd)
marine water	0.000067 mg/l (nd)
STP	10 mg/l (nd)
sedim., dw, fre.wat.	0.066 mg/Kg (nd)
sedim., dw, mar.wat.	0.007 mg/Kg (nd)
soil,dw	0.013 mg/Kg (nd)

63393-96-4 Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides

freshwater	0.00015 mg/l (nd)
marine water	0.00000002 mg/l (nd)
STP	0.44 mg/l (nd)
sedim., dw, fre.wat.	0.00063 mg/Kg (nd)
sedim., dw, mar.wat.	0.00000006 mg/Kg (nd)
soil,dw	0.00000004 mg/Kg (nd)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

· **Personal protective equipment**

· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Avoid contact with the eyes and skin.

· **Breathing equipment:**

Use breathing protection in case of insufficient ventilation.
Filter A/P2.

· **Protection of hands:**

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

(Contd. on page 6)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 18.03.2021

Version number 5

Revision: 18.03.2021

Trade name: Technovit 4006 SE liquid

(Contd. of page 5)

chemical protection gloves are suitable, which are tested according to EN 374

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

NBR: acrylonitrile-butadiene rubber (0,11 mm)

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

>30 min

- **Eye protection:** eye protection (EN 166)

- **Body protection:** Protective work clothing.

- **Limitation and supervision of exposure into the environment**

Do not allow to enter drainage system, surface or ground water.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

- **Form:**

Fluid

- **Colour:**

White

Yellowish

Light brown

- **Smell:**

Characteristic

- **Odour threshold:**

Not determined.

- **pH-value:**

Not determined.

- **Change in condition**

- **Melting point/freezing point:**

Not determined

- **Initial boiling point and boiling range:** >35 °C

- **Flash point:**

<23 °C

- **Inflammability (solid, gaseous)**

Not applicable.

- **Decomposition temperature:**

Not determined.

- **Self-inflammability:**

Product is not selfigniting.

- **Explosive properties:**

Product is not explosive. However, formation of explosive air/vapour mixtures is possible.

- **Critical values for explosion:**

- **Lower:**

Not determined.

- **Upper:**

Not determined.

- **Steam pressure:**

Not determined.

- **Density at 20 °C**

0.95 g/cm³

- **Relative density**

Not determined.

- **Vapour density**

Not determined.

(Contd. on page 7)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 18.03.2021

Version number 5

Revision: 18.03.2021

Trade name: Technovit 4006 SE liquid

(Contd. of page 6)

· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· Water:	Not miscible or difficult to mix
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
· dynamic:	Not determined.
· kinematic:	Not determined.
· Solvent content:	
· Water:	0.2 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
 - **Conditions to be avoided:** No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** Danger of polymerisation
- **10.4 Conditions to avoid**
moisture exposure
Heat, flames and sparks.
- **10.5 Incompatible materials:**
amine
Radical initiator
Strong oxidizers
Water.
- **10.6 Hazardous decomposition products:** None

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
 - **Acute toxicity** Based on available data, the classification criteria are not met.

 · **LD/LC50 values that are relevant for classification:**
80-62-6 methyl methacrylate

Oral	LD50	~7,900 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rab) (OECD 402)
Inhalative	LC50/4 h	29.8 mg/l (rat)

2082-81-7 1,4-butandioldimethacrylate

Oral	LD50	10,066 mg/kg (rat) (OECD 401)
------	------	-------------------------------

131-57-7 Oxybenzone

Oral	LD50	>12,800 mg/kg (rat) (OECD 401)
Dermal	LD50	>16,000 mg/kg (rabbit) (OECD 402)

63393-96-4 Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides

Oral	LD50	>200-<2,000 mg/kg (rat) (OECD 401)
------	------	------------------------------------

- **Primary irritant effect:**
 - **Skin corrosion/irritation**
Causes skin irritation.

(Contd. on page 8)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 18.03.2021

Version number 5

Revision: 18.03.2021

Trade name: Technovit 4006 SE liquid

(Contd. of page 7)

- **Serious eye damage/irritation**
Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation**
May cause an allergic skin reaction.
- **Additional toxicological information:**
 - **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
 - **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
 - **Carcinogenicity** Based on available data, the classification criteria are not met.
 - **Reproductive toxicity** Based on available data, the classification criteria are not met.
 - **STOT-single exposure**
May cause respiratory irritation.
 - **STOT-repeated exposure** Based on available data, the classification criteria are not met.
 - **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

80-62-6 methyl methacrylate

EC50/21d	49 mg/L (daphnia) (OECD 211)
EC50/48h	69 mg/l (daphnia) (EPA OTS 797.1300)
NOEC / 21d	37 mg/l (daphnia) (OECD 211)
ErC50 / 72 h	>110 mg/l (algae) (OECD 201)
NOEC / 72h	110 mg/l (algae) (OECD 201)
NOEC / 48h	48 mg/l (daphnia) (EPA OTS 797.1300)
EbC50 / 72h	>110 mg/l (algae) (OECD 201)
NOEC/ 35d	9.4 mg/L (fish) (OECD 210)
LC50/ 35d	33.7 mg/L (fish) (OECD 210)

2082-81-7 1,4-butandiol dimethacrylate

EC50/21d	14.1 mg/L (daphnia) (OECD 211)
EC50/48h	32.5 mg/l (fish)
NOEC / 21d	5.09 mg/l (daphnia) (OECD 211)
ErC50 / 72 h	9.79 mg/l (algae) (OECD 201)
NOEC / 72h	2.11 mg/l (algae) (OECD 201)
NOEC / 48h	25 mg/l (fish)
ErC10/72h	4.35 mg/L (algae) (OECD 201)

131-57-7 Oxybenzone

EC50/48h	1.87 mg/l (daphnia) (OECD 202)
LC50/96h	3.8 mg/l (fish) (OECD 203)
ErC50 / 72 h	0.67 mg/l (algae) (OECD 201)
NOEC / 72h	0.18 mg/l (algae) (OECD 201)
NOEC / 96h	0.72 mg/l (fish) (OECD 203)
NOEC / 48h	1.15 mg/l (daphnia) (OECD 202)

63393-96-4 Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides

EC50/48h	0.16 mg/l (daphnia) (OECD 202)
LC50/96h	0.15 mg/l (fish) (OECD 203)
ErC50 / 72 h	0.29 mg/l (algae) (OECD 201)

(Contd. on page 9)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 18.03.2021

Version number 5

Revision: 18.03.2021

Trade name: Technovit 4006 SE liquid

(Contd. of page 8)

ErC10/72h	0.138 mg/L (algae) (OECD 201)
-----------	-------------------------------

· **12.2 Persistence and degradability**

80-62-6 methyl methacrylate

Biodegradation	94 % /14d (nd) (OECD 301C)
----------------	----------------------------

2082-81-7 1,4-butandiol dimethacrylate

Biodegradation	84 % /28d (nd) (OECD 310)
----------------	---------------------------

131-57-7 Oxybenzone

Biodegradation	60-70 % /28d (nd)
----------------	-------------------

63393-96-4 Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides

Biodegradation	10-<20 % /60d (nd) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)
----------------	---

· **12.3 Bioaccumulative potential**

131-57-7 Oxybenzone

Bioconcentration factor (BCF)	>33-<160 (fish) (OECD 305)
-------------------------------	----------------------------

· **12.4 Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Small quantities can be polymerized with the matching system component(s) and the cured solid material can be disposed of with the regular garbage. Larger quantities must be disposed of following the regulations of the local authorities.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

· **14.1 UN-Number**

· **ADR, IMDG, IATA**

UN1247

· **14.2 UN proper shipping name**

· **ADR**

1247 METHYL METHACRYLATE
MONOMER, STABILIZED mixture

· **IMDG, IATA**

METHYL METHACRYLATE MONOMER,
STABILIZED mixture

(Contd. on page 10)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 18.03.2021

Version number 5

Revision: 18.03.2021

Trade name: Technovit 4006 SE liquid

(Contd. of page 9)

· **14.3 Transport hazard class(es)**

· **ADR**



· **Class** 3 (F1) Flammable liquids.
· **Label** 3

· **IMDG, IATA**



· **Class** 3 Flammable liquids.
· **Label** 3

· **14.4 Packing group**

· **ADR, IMDG, IATA** II

· **14.5 Environmental hazards:**

· **Marine pollutant:** No

· **14.6 Special precautions for user**

Warning: Flammable liquids.

· **Kemler Number:** 33
· **EMS Number:** F-E,S-D
· **Stowage Category** C
· **Stowage Code** SW1 Protected from sources of heat.
SW2 Clear of living quarters.

· **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

· **Transport/Additional information:** -

· **ADR**

· **Limited quantities (LQ)** 1L
· **Excepted quantities (EQ)** Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml
· **Transport category** 2
· **Tunnel restriction code** D/E

· **IMDG**

· **Limited quantities (LQ)** 1L
· **Excepted quantities (EQ)** Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml

(Contd. on page 11)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 18.03.2021

Version number 5

Revision: 18.03.2021

Trade name: Technovit 4006 SE liquid

(Contd. of page 10)

· **UN "Model Regulation":**

UN 1247 METHYL METHACRYLATE
MONOMER, STABILIZED MIXTURE, 3, II

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
 - **Directive 2012/18/EU**
 - **Named dangerous substances - ANNEX I** None of the ingredients is listed.
 - **Seveso category P5c** FLAMMABLE LIQUIDS
 - **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t
 - **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t
 - **National regulations**
 - **Information about limitation of use:**
Employment restrictions concerning young persons must be observed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H225 Highly flammable liquid and vapour.
- H301 Toxic if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H333 May be harmful if inhaled.
- H335 May cause respiratory irritation.
- H361 Suspected of damaging fertility or the unborn child.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 DNEL: Derived No-Effect Level (REACH)
 PNEC: Predicted No-Effect Concentration (REACH)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 Flam. Liq. 2: Flammable liquids – Category 2
 Acute Tox. 3: Acute toxicity – Category 3
 Acute Tox. 5: Acute toxicity – Category 5
 Skin Corr. 1C: Skin corrosion/irritation – Category 1C
 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1

(Contd. on page 12)

GB

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 18.03.2021

Version number 5

Revision: 18.03.2021

Trade name: Technovit 4006 SE liquid

(Contd. of page 11)

*Skin Sens. 1: Skin sensitisation – Category 1**Skin Sens. 1B: Skin sensitisation – Category 1B**Repr. 2: Reproductive toxicity – Category 2**STOT SE 3: Specific target organ toxicity (single exposure) – Category 3**Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1**Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1**Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2***Sources***(EC) 1272/2008: classification, labelling and packaging of substances and mixtures**(EC) 1907/2006: REACH**ADR/RID/ADN - IDMG - IATA: transport of dangerous goods by road, rail, inland waterway, with maritime vessels and for the air transport*** Data compared to the previous version altered.*

GB