

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 18.01.2022

Version number 6

Revision: 18.01.2022

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier**
  - Trade name: **Technovit EPOX Resin**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
  - Application of the substance / the mixture Resin for metallographic testing
- **1.3 Details of the supplier of the safety data sheet**
  - **Manufacturer/Supplier:**  
Kulzer GmbH  
Leipziger Straße 2, 63450 Hanau (Germany)  
Tel.: +49 (0)6181 9689-2570 (Wehrheim)
  - **Informing department:** email: [technik.wehrheim@kulzer-dental.com](mailto:technik.wehrheim@kulzer-dental.com)
- **1.4 Emergency telephone number:** Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
  - **Classification according to Regulation (EC) No 1272/2008**  
Skin Irrit. 2            H315 Causes skin irritation.  
Eye Irrit. 2            H319 Causes serious eye irritation.  
Skin Sens. 1            H317 May cause an allergic skin reaction.  
Aquatic Chronic 2    H411 Toxic to aquatic life with long lasting effects.
- **2.2 Label elements**
  - **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
  - **Hazard pictograms**



GHS07    GHS09

- **Signal word** Warning
- **Hazard-determining components of labelling:**  
Bis- [4- (2,3-epoxypropoxy) phenyl] propane  
Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-(2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy)methyl)oxirane  
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.
- **Hazard statements**  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.  
H411 Toxic to aquatic life with long lasting effects.
- **Precautionary statements**  
P261                    Avoid breathing dust/fume/gas/mist/vapours/spray.  
P273                    Avoid release to the environment.  
P280                    Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338    IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333+P313            If skin irritation or rash occurs: Get medical advice/attention.  
P337+P313            If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

**Safety data sheet**  
 according to 1907/2006/EC, Article 31

Printing date 18.01.2022

Version number 6

Revision: 18.01.2022

**Trade name: Technovit EPOX Resin**

(Contd. of page 1)

- **2.3 Other hazards**
  - **Results of PBT and vPvB assessment**
    - **PBT:** Not applicable.
    - **vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients**

- **3.2 Chemical characterisation: Mixtures**
  - **Description:** -

· **Dangerous components:**

CAS: 25068-38-6 NLP: 500-033-5 Reg.nr.: 01-2119456619-26-xxxx	reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700) ----- Aquatic Chronic 2, H411 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 %	≥50-≤100%
CAS: 9003-36-5 NLP: 500-006-8 Reg.nr.: 01-2119454392-40-xxxx	Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol ----- Aquatic Chronic 2, H411 Skin Irrit. 2, H315; Skin Sens. 1, H317	≥25-≤50%
CAS: 68609-97-2 EINECS: 271-846-8 Reg.nr.: 01-2119485289-22-xxxx	oxirane, mono[(C12-14-alkyloxy)methyl] derivs. ----- Skin Irrit. 2, H315; Skin Sens. 1, H317	≥10-≤20%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

**SECTION 4: First aid measures**

- **4.1 Description of first aid measures**
  - **General information**
    - Personal protection for the First Aider.
    - Instantly remove any clothing soiled by the product.
    - Take affected persons out of danger area and instruct to lie down.
  - **After inhalation** Supply fresh air; consult doctor in case of symptoms.
  - **After skin contact**
    - Instantly wash with water and soap and rinse thoroughly.
    - If skin irritation or rash occurs: Get medical advice/attention.
  - **After eye contact**
    - Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
    - Remove contact lenses, if present and easy to do. Continue rinsing.
  - **After swallowing**
    - Rinse out mouth and then drink plenty of water.
    - In case of persistent symptoms consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** Allergic reactions
- **4.3 Indication of any immediate medical attention and special treatment needed**  
 No further relevant information available.

GB  
 (Contd. on page 3)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 18.01.2022

Version number 6

Revision: 18.01.2022

**Trade name: Technovit EPOX Resin**

(Contd. of page 2)

### **SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
  - **Suitable extinguishing agents**
    - Carbon dioxide
    - Fire-extinguishing powder
    - Sand
    - Foam
- **5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.  
Can be released in case of fire

  - Carbon dioxide (CO<sub>2</sub>)
  - Carbon monoxide (CO)
  - Nitrogen oxides (NO<sub>x</sub>)
  - Hydrogen chloride (HCl)
- **5.3 Advice for firefighters**
  - **Protective equipment:**

Wear self-contained breathing apparatus.  
(EN 133)
  - **Additional information**

Collect contaminated fire fighting water separately. It must not enter drains.

### **SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.  
Avoid contact with eyes and skin.  
Ensure adequate ventilation
- **6.2 Environmental precautions:**

Do not allow to enter drainage system, surface or ground water.  
Do not allow to enter the ground/soil.
- **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).  
Send for recovery or disposal in suitable containers.
- **6.4 Reference to other sections**

See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.

### **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling**

Wear protective equipment. Keep unprotected persons away.  
Avoid contact with eyes and skin.  
Keep containers tightly sealed.  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.

  - **Handling**

do not mix with  
organic peroxides  
Strong oxidizers
  - **Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.  
Protect from heat.

(Contd. on page 4)

GB

**Safety data sheet**  
 according to 1907/2006/EC, Article 31

Printing date 18.01.2022

Version number 6

Revision: 18.01.2022

**Trade name: Technovit EPOX Resin**

(Contd. of page 3)

- **7.2 Conditions for safe storage, including any incompatibilities**
  - **Storage**
    - **Requirements to be met by storerooms and containers:**  
 Store in cool, dry place in tightly closed containers.
    - **Information about storage in one common storage facility:** Store away from foodstuffs.
    - **Further information about storage conditions:** None.
- **7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

- **8.1 Control parameters**
  - **Components with critical values that require monitoring at the workplace:**  
 The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.  
 Not required.

· <b>DNELs</b>		
<b>1675-54-3 Bis- [4- (2,3-epoxypropoxy) phenyl] propane</b>		
Oral	general population, long term, systemic	0.5 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	0.75 mg/Kg/d (not defined)
	general population, long term, systemic	0.0893 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	4.93 mg/m3 (not defined)
	general population, long term, systemic	0.87 mg/m3 (not defined)
<b>Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane</b>		
Oral	general population, long term, systemic	6.25 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	104.15 mg/Kg/d (not defined)
	general population, long term, systemic	62.5 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	29.39 mg/m3 (not defined)
	general population, long term, systemic	8.7 mg/m3 (not defined)
<b>68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs.</b>		
Oral	general population, long term, systemic	0.5 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	1 mg/Kg/d (not defined)
	general population, long term, systemic	0.5 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	3.6 mg/m3 (not defined)
	general population, long term, systemic	0.87 mg/m3 (not defined)
· <b>PNECs</b>		
<b>1675-54-3 Bis- [4- (2,3-epoxypropoxy) phenyl] propane</b>		
freshwater		0.006 mg/l (not defined)
marine water		0.001 mg/l (not defined)
sewage treatment plant		10 mg/l (not defined)
sediment, dry weight, freshwater		0.341 mg/Kg (not defined)
sediment, dry weight, marine water		0.034 mg/Kg (not defined)
soil, dry weight		0.065 mg/Kg (not defined)

(Contd. on page 5)

**Safety data sheet**  
 according to 1907/2006/EC, Article 31

Printing date 18.01.2022

Version number 6

Revision: 18.01.2022

**Trade name: Technovit EPOX Resin**

(Contd. of page 4)

**Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-(2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy)methyl)oxirane**

freshwater	0.003 mg/l (not defined)
marine water	0 mg/l (not defined)
sewage treatment plant	10 mg/l (not defined)
sediment, dry weight, freshwater	0.294 mg/Kg (not defined)
sediment, dry weight, marine water	0.029 mg/Kg (not defined)
soil, dry weight	0.237 mg/Kg (not defined)

**68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs.**

freshwater	0.106 mg/l (not defined)
marine water	0.011 mg/l (not defined)
sewage treatment plant	10 mg/l (not defined)
sediment, dry weight, freshwater	307.16 mg/Kg (not defined)
sediment, dry weight, marine water	30.72 mg/Kg (not defined)
soil, dry weight	1,234 mg/Kg (not defined)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and food.  
 Instantly remove any soiled and impregnated garments.  
 Wash hands during breaks and at the end of the work.  
 Avoid contact with the eyes and skin.

· **Breathing equipment:** Use breathing protection in case of insufficient ventilation.

· **Protection of hands:**

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  
 chemical protection gloves are suitable, which are tested according to EN 374  
 Check protective gloves prior to each use for their proper condition.

· **Material of gloves**

PVC gloves  
 NBR: acrylonitrile-butadiene rubber

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** eye protection (EN 166)

· **Body protection:** Protective work clothing.

· **Limitation and supervision of exposure into the environment**

Do not allow to enter the ground/soil.

**SECTION 9: Physical and chemical properties**

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· **Form:** Fluid  
 · **Colour:** Light yellow  
 · **Smell:** Characteristic

(Contd. on page 6)

**Safety data sheet**  
 according to 1907/2006/EC, Article 31

Printing date 18.01.2022

Version number 6

Revision: 18.01.2022

**Trade name: Technovit EPOX Resin**

(Contd. of page 5)

· <b>Odour threshold:</b>	Not determined.
· <b>pH-value:</b>	Not determined.
· <b>Change in condition</b>	
· <b>Melting point/freezing point:</b>	Not determined
· <b>Initial boiling point and boiling range:</b>	>200 °C
· <b>Flash point:</b>	>100 °C
· <b>Inflammability (solid, gaseous)</b>	Not applicable.
· <b>Decomposition temperature:</b>	Not determined.
· <b>Self-inflammability:</b>	Product is not selfigniting.
· <b>Explosive properties:</b>	Product is not explosive.
· <b>Critical values for explosion:</b>	
· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.
· <b>Steam pressure at 20 °C:</b>	0.3 hPa
· <b>Density at 20 °C</b>	1.15 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with</b>	
· <b>Water:</b>	Not miscible or difficult to mix
· <b>Partition coefficient: n-octanol/water:</b>	Not determined.
· <b>Viscosity:</b>	
· <b>dynamic:</b>	Not determined.
· <b>kinematic at 40 °C:</b>	800 mm <sup>2</sup> /s
· <b>9.2 Other information</b>	No further relevant information available.

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
  - **Conditions to be avoided:** No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** Heat, flames and sparks.
- **10.5 Incompatible materials:**
  - organic peroxides
  - Strong oxidizers
- **10.6 Hazardous decomposition products:** None

**SECTION 11: Toxicological information**

- **11.1 Information on toxicological effects**
  - **Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 7)

**Safety data sheet**  
 according to 1907/2006/EC, Article 31

Printing date 18.01.2022

Version number 6

Revision: 18.01.2022

**Trade name: Technovit EPOX Resin**

(Contd. of page 6)

<b>· LD/LC50 values that are relevant for classification:</b>	
<b>1675-54-3 Bis- [4- (2,3-epoxypropoxy) phenyl] propane</b>	
Oral	LD50 >2,000 mg/kg (rat) (OECD 420) 19,800 mg/kg (rabbit)
Dermal	LD50 >2,000 mg/kg (rat) (OECD 402) >23,000 mg/kg (rabbit)
<b>Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-(2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy)methyl)oxirane</b>	
Oral	LD50 >5,000 mg/kg (rat) (OECD 401)
Dermal	LD50 >2,000 mg/kg (rat) (OECD 402)
<b>68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs.</b>	
Oral	LD50 268,000 mg/kg (rat)
Dermal	LD50 ≥4,000 mg/kg (rat)

- **Primary irritant effect:**
  - **Skin corrosion/irritation**  
Causes skin irritation.
  - **Serious eye damage/irritation**  
Causes serious eye irritation.
  - **Respiratory or skin sensitisation**  
May cause an allergic skin reaction.
- **Additional toxicological information:**
  - **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
    - **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
    - **Carcinogenicity** Based on available data, the classification criteria are not met.
    - **Reproductive toxicity** Based on available data, the classification criteria are not met.
  - **STOT-single exposure** Based on available data, the classification criteria are not met.
  - **STOT-repeated exposure** Based on available data, the classification criteria are not met.
  - **Aspiration hazard** Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information**

· **12.1 Toxicity**

<b>· Aquatic toxicity:</b>	
<b>1675-54-3 Bis- [4- (2,3-epoxypropoxy) phenyl] propane</b>	
EC50/48h	2.8 mg/l (daphnia) (OECD 202)
LC50/96h	1.75 mg/l (fish) (OECD 203)
NOEC / 21d	0.3 mg/l (daphnia) (OECD 211)
ErC50 / 72 h	>11 mg/l (algae)
NOEC / 72h	4.2 mg/l (algae)
EbC50 / 72h	9.4 mg/l (algae)
<b>Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-(2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy)methyl)oxirane</b>	
EC50/72h	>1.8 mg/l (algae) (OECD 201)
NOEC / 21d	0.3 mg/l (daphnia) (OECD 211)
<b>68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs.</b>	
LL50/96h	>100 mg/L (fish) (OECD 203)

(Contd. on page 8)

**Safety data sheet**  
 according to 1907/2006/EC, Article 31

Printing date 18.01.2022

Version number 6

Revision: 18.01.2022

**Trade name: Technovit EPOX Resin**

(Contd. of page 7)

EL50/48h	7.2 mg/L (daphnia) (OECD 202)
NOEC / 72h	500 mg/l (algae) (OECD 201)
NOEC / 96h	>100 mg/l (fish) (OECD 203)
NOELR	56 mg/L /21d (daphnia) (OECD 211)
EL50/21d	64 mg/L (daphnia) (OECD 211)

**12.2 Persistence and degradability**

**1675-54-3 Bis- [4- (2,3-epoxypropoxy) phenyl] propane**

Biodegradation 5 % /28d (not defined) (OECD 301F; ISO 9408/ EEC 92/69/V, C.4-D)

**Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-(2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy)methyl)oxirane**

Biodegradation 0 % /28d (not defined) (EU C.4-A)

**68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs.**

Biodegradation 87 % /28d (not defined) (OECD 301F; ISO 9408/ EEC 92/69/V, C.4-D)

**12.3 Bioaccumulative potential**

**1675-54-3 Bis- [4- (2,3-epoxypropoxy) phenyl] propane**

Bioconcentration factor (BCF) 31 (not defined) ((Q)SAR)

**Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-(2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy)methyl)oxirane**

Bioconcentration factor (BCF) 150 (not defined)

**12.4 Mobility in soil** No further relevant information available.

**Ecotoxicological effects:**

· **Remark:** Toxic for fish

**Additional ecological information:**

**General notes:**

Avoid transfer into the environment.

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

**12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

**12.6 Other adverse effects** No further relevant information available.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

**Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.



**Safety data sheet**  
 according to 1907/2006/EC, Article 31

Printing date 18.01.2022





Version number 6

Revision: 18.01.2022

**Trade name: Technovit EPOX Resin**

(Contd. of page 8)

**SECTION 14: Transport information**

· 14.1 UN-Number · ADR, IMDG, IATA	UN3082
· 14.2 UN proper shipping name · ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700))
· IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)), MARINE POLLUTANT
· IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700))
· 14.3 Transport hazard class(es) · ADR	
	 
· Class	9 (M6) Miscellaneous dangerous substances and articles.
· Label	9
· IMDG, IATA	
	 
· Class	9 Miscellaneous dangerous substances and articles.
· Label	9
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards: · Marine pollutant:	Yes Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
· Special marking (IATA):	Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
· Kemler Number:	90
· EMS Number:	F-A,S-F

(Contd. on page 10)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 18.01.2022

Version number 6

Revision: 18.01.2022

**Trade name: Technovit EPOX Resin**

(Contd. of page 9)

· <b>Stowage Category</b>	A
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	-
· <b>ADR</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>Transport category</b>	3
· <b>Tunnel restriction code</b>	E
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (REACTION PRODUCT: BISPHENOL-A (EPICHLORHYDRIN); EPOXY RESIN (NUMBER AVERAGE MOLECULAR WEIGHT ≤ 700)), 9, III

**SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
  - **Directive 2012/18/EU**
    - **Named dangerous substances - ANNEX I** None of the ingredients is listed.
    - **Seveso category E2** Hazardous to the Aquatic Environment
    - **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t
    - **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
  - **Information about limitation of use:**  
Employment restrictions concerning young persons must be observed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 11)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 18.01.2022

Version number 6

Revision: 18.01.2022

**Trade name: Technovit EPOX Resin**

(Contd. of page 10)

· **Abbreviations and acronyms:**

*ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*GHS: Globally Harmonised System of Classification and Labelling of Chemicals*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*DNEL: Derived No-Effect Level (REACH)*

*PNEC: Predicted No-Effect Concentration (REACH)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*Skin Irrit. 2: Skin corrosion/irritation – Category 2*

*Eye Irrit. 2: Serious eye damage/eye irritation – Category 2*

*Skin Sens. 1: Skin sensitisation – Category 1*

*Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2*

· **Sources**

*(EC) 1272/2008: classification, labelling and packaging of substances and mixtures*

*(EC) 1907/2006: REACH*

*ADR/RID/ADN - IMDG - IATA: transport of dangerous goods by road, rail, inland waterway, with maritime vessels and for the air transport*

· \* **Data compared to the previous version altered.**

GB